



Client ID: Village of Wauconda Water Department
Project Name: Volatile Organic Compounds: 0971850

Report Date: June 27, 2007
Lab Order: 07060948

Client Sample ID: WL20289

Matrix: DRINKING WATER

Lab ID: 07060948-01A

Date Received: 06/21/2007 3:37 PM

Collection Date: 06/20/2007 10:45 AM

Parameter	Result	Qual	Report Limit	MCL	Units	Dilution Factor	Date Analyzed	Batch ID
VOLATILE ORGANIC COMPOUNDS (REGULATED)			Method: EPA-524.2-Rev 4.1, 1995			Analyst: AFP		
Benzene	ND		0.500	5	µg/L	1	06/22/2007 4:00 PM	R62778
Carbon tetrachloride	ND		0.500	5	µg/L	1	06/22/2007 4:00 PM	R62778
Chlorobenzene	ND		0.500	100	µg/L	1	06/22/2007 4:00 PM	R62778
1,4-Dichlorobenzene	ND		0.500	75	µg/L	1	06/22/2007 4:00 PM	R62778
1,2-Dichlorobenzene	ND		0.500	600	µg/L	1	06/22/2007 4:00 PM	R62778
1,2-Dichloroethane	ND		0.500	5	µg/L	1	06/22/2007 4:00 PM	R62778
1,1-Dichloroethene	ND		0.500	7	µg/L	1	06/22/2007 4:00 PM	R62778
cis-1,2-Dichloroethene	ND		0.500	70	µg/L	1	06/22/2007 4:00 PM	R62778
trans-1,2-Dichloroethene	ND		0.500	100	µg/L	1	06/22/2007 4:00 PM	R62778
1,2-Dichloropropane	ND		0.500	5	µg/L	1	06/22/2007 4:00 PM	R62778
Ethylbenzene	ND		0.500	700	µg/L	1	06/22/2007 4:00 PM	R62778
Methylene chloride	ND		0.500	5	µg/L	1	06/22/2007 4:00 PM	R62778
Styrene	ND		0.500	100	µg/L	1	06/22/2007 4:00 PM	R62778
Tetrachloroethene	ND		0.500	5	µg/L	1	06/22/2007 4:00 PM	R62778
Toluene	ND		0.500	1000	µg/L	1	06/22/2007 4:00 PM	R62778
1,2,4-Trichlorobenzene	ND		0.500	70	µg/L	1	06/22/2007 4:00 PM	R62778
Trichloroethene	ND		0.500	5	µg/L	1	06/22/2007 4:00 PM	R62778
1,1,1-Trichloroethane	ND		0.500	200	µg/L	1	06/22/2007 4:00 PM	R62778
1,1,2-Trichloroethane	ND		0.500	5	µg/L	1	06/22/2007 4:00 PM	R62778
Vinyl chloride	ND		0.500	2	µg/L	1	06/22/2007 4:00 PM	R62778
Total Xylenes	ND		0.500	10000	µg/L	1	06/22/2007 4:00 PM	R62778
Surrogate: 1,2-Dichlorobenzene-d4	105		66.8 - 122		%REC	1	06/22/2007 4:00 PM	R62778
Surrogate: 4-Bromofluorobenzene	108		67.7 - 120		%REC	1	06/22/2007 4:00 PM	R62778
VOLATILE ORGANIC COMPOUNDS (UNREGULATED)			Method: EPA-524.2-Rev 4.1, 1995			Analyst: AFP		
Methyl tert-butyl ether	ND		0.500		µg/L	1	06/22/2007 4:00 PM	R62778
Surrogate: 1,2-Dichlorobenzene-d4	105		41.2 - 119		%REC	1	06/22/2007 4:00 PM	R62778
Surrogate: 4-Bromofluorobenzene	108		47.1 - 118		%REC	1	06/22/2007 4:00 PM	R62778

Qualifiers:

- * Value exceeds Maximum Contaminant Level
- c Analyte not included in SLI scope of accreditation
- G Refer to case narrative page for specific comments
- J Analyte detected below quantitation limit (QL)
- ND Not Detected at the SLI Reporting Limit

- B Analyte detected in the associated Method Blank
- E Estimated, analyte detected above quantitation range
- H Holding times for preparation or analysis exceeded
- NA Not Applicable
- Q Internal standard recovery is outside SLI in-house criteria (no method specific requirements exist)