



Client ID: Village of Wauconda Water Department

Report Date: October 22, 2009

Project Name: Non Compliance Volatile Organic Compounds

Lab Order: 09100937

Client Sample ID: WL01518 - Well 7

Matrix: DRINKING WATER

Lab ID: 09100937-01 Date Received: 10/19/2009 3:20 PM

Collection Date: 10/15/2009 1:40 PM

Parameter	Result	Qual.	Report Limit	MCL	Units	Dilution Factor	Date Analyzed	Batch ID
<b>VOLATILE ORGANIC COMPOUNDS (REGULATED)</b>			Method: EPA-524.2-Rev4.1,1995			Analyst: AFP		
Benzene	ND		0.500	5	µg/L	1	10/20/2009 2:20 PM	R85670
Carbon tetrachloride	ND		0.500	5	µg/L	1	10/20/2009 2:20 PM	R85670
Chlorobenzene	ND		0.500	100	µg/L	1	10/20/2009 2:20 PM	R85670
1,4-Dichlorobenzene	ND		0.500	75	µg/L	1	10/20/2009 2:20 PM	R85670
1,2-Dichlorobenzene	ND		0.500	600	µg/L	1	10/20/2009 2:20 PM	R85670
1,2-Dichloroethane	ND		0.500	5	µg/L	1	10/20/2009 2:20 PM	R85670
1,1-Dichloroethene	ND		0.500	7	µg/L	1	10/20/2009 2:20 PM	R85670
cis-1,2-Dichloroethene	ND		0.500	70	µg/L	1	10/20/2009 2:20 PM	R85670
trans-1,2-Dichloroethene	ND		0.500	100	µg/L	1	10/20/2009 2:20 PM	R85670
1,2-Dichloropropane	ND		0.500	5	µg/L	1	10/20/2009 2:20 PM	R85670
Ethylbenzene	ND		0.500	700	µg/L	1	10/20/2009 2:20 PM	R85670
Methylene chloride	ND		0.500	5	µg/L	1	10/20/2009 2:20 PM	R85670
Styrene	ND		0.500	100	µg/L	1	10/20/2009 2:20 PM	R85670
Tetrachloroethene	ND		0.500	5	µg/L	1	10/20/2009 2:20 PM	R85670
Toluene	ND		0.500	1000	µg/L	1	10/20/2009 2:20 PM	R85670
1,2,4-Trichlorobenzene	ND		0.500	70	µg/L	1	10/20/2009 2:20 PM	R85670
Trichloroethene	ND		0.500	5	µg/L	1	10/20/2009 2:20 PM	R85670
1,1,1-Trichloroethane	ND		0.500	200	µg/L	1	10/20/2009 2:20 PM	R85670
1,1,2-Trichloroethane	ND		0.500	5	µg/L	1	10/20/2009 2:20 PM	R85670
Vinyl chloride	ND		0.500	2	µg/L	1	10/20/2009 2:20 PM	R85670
Total Xylenes	ND		0.500	10000	µg/L	1	10/20/2009 2:20 PM	R85670
Surrogate: 1,2-Dichlorobenzene-d4	102		66.8 - 122		%REC	1	10/20/2009 2:20 PM	R85670
Surrogate: 4-Bromofluorobenzene	102		67.7 - 120		%REC	1	10/20/2009 2:20 PM	R85670
<b>VOLATILE ORGANIC COMPOUNDS (UNREGULATED)</b>			Method: EPA-524.2-Rev4.1,1995			Analyst: AFP		
Methyl tert-butyl ether	ND		0.500		µg/L	1	10/20/2009 2:20 PM	R85670

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level
- c Analyte not included in SLI scope of accreditation
- G Refer to case narrative page for specific comments
- J Analyte detected below quantitation limit (QL)
- ND Not Detected at the SLI Reporting Limit

- B Analyte detected in the associated Method Blank
- E Estimated, analyte detected above quantitation range
- H Holding times for preparation or analysis exceeded
- NA Not Applicable
- Q Internal standard recovery is outside SLI in-house criteria (no method specific requirements exist)